

Modified theory for bubble formation from a CO₂ stream injected into pores

Scientific Achievement

A widely used theory for snap-off of a stream of injected fluid (e.g. supercritical CO₂) inside water-filled pores into bubbles was modified to be more comprehensive and realistic.


Significance and Impact

The modification to the classic theory more realistically represents the physics and therefore allows for better prediction of when snap-off into bubbles occurs. This is important for reservoir models of CO₂ injection since the new theory would better capture the propensity for capillary and dissolution trapping.

Research Details

- Dynamics of bubble formation or snap-off from a CO₂ plume is analyzed theoretically and computationally.
- Theoretical extension of widely used and accepted theory for bubble snap-off or plume break up.
- Extension achieved by adding additional terms in the snap-off threshold based on the Young-Laplace equation for capillary pressure across a fluid interface.
- The new theory is compared to computational fluid dynamics (numerical) simulations of multiphase flow (CO₂ and native formation water) showing snap-off.
- Residual or capillary trapping estimated ~50%!

Wen Deng, **M. Bayani Cardenas**, and Philip C. Bennett, Extended Roof snap-off for a continuous nonwetting fluid and an example case for supercritical CO₂, *Advances in Water Resources*, 64, 34-46, doi: 10.1016/j.advwatres.2013.12.001, 2014.



U.S. DEPARTMENT OF
ENERGY

Office of
Science

THE UNIVERSITY OF
TEXAS
AT AUSTIN





Sandia
National
Laboratories

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.




Modified theory for bubble formation from a CO₂ stream injected into pores

Computational fluid dynamics simulations of multiphase flow (sCO₂)



Modification of the 1970 theory Young-Laplace Eqn (pressure drop across a fluid interface)



Capillary pressure or p_c : $\Delta p = \left(\frac{1}{R_1} + \frac{1}{R_2} \right)$, R 's are principal radii of curvature

Roof criterion or threshold (1970) ❌

$$p_c \text{ at pore body, } \frac{2}{R_b} < \frac{1}{R_t} - \frac{1}{R_{zt}}, p_c \text{ at pore throat}$$

Our extension of Roof's theory (2014) ✅

$$\frac{1}{R_b} + \frac{1}{R_{zb}} < \frac{1}{R_t} - \frac{1}{R_{zt}}$$

Future Work

Application in pore-network models of reservoir samples



U.S. DEPARTMENT OF
ENERGY

Office of
Science

THE UNIVERSITY OF
TEXAS
AT AUSTIN




Sandia
National
Laboratories

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

$$p_c \text{ at pore body} < \left(\frac{1}{R_t} - \frac{1}{R_{zt}} \right) p_c \text{ at pore throat}$$

Modified theory for bubble formation from a CO₂ stream injected into pores

Computational fluid dynamics simulations of multiphase flow (sCO₂ & water)



U.S. DEPARTMENT OF
ENERGY

Office of
Science

THE UNIVERSITY OF
TEXAS
AT AUSTIN



Sandia
National
Laboratories

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

